

Attributes

Attribute	Datatype	Description	MS Mapping
AdministrativeunitID	text	Unique object identifier of the administrative unit created by GISCO.	-
Beginlifespanversion	text	The date on which a specific version of the administrative unit was inserted or changed in the data set.	-
Country	text	Two-letter country code provided by the Publications Office of the European Union. In the case that a data set is not compliant with INSPIRE, this attribute is automatically generated.	-
Endlifespanversion	text	The date on which a specific version of the administrative unit was replaced or removed from the data set.	-
GeographicalnameID	text	Unique object identifier of the names of administrative units created by GISCO.	-
InspireID	text	External object identifier of the administrative unit. In the case that a data set is not compliant with INSPIRE, this attribute is automatically generated.	-
Nationalcode	text	An object identifier referring to the national administrative code defined by each Member State.	INSEE_REG (2 nd Order) INSEE_REG_INSEE_DEP (3 rd Order) INSEE_REG_INSEE_DEP_INSEE_ARR (4 th Order) INSEE_REG_INSEE_DEP_INSEE_ARR_INSEE_COM (5 th Order)
Nationallevel	text	The level within the national administrative hierarchy where the administrative unit is established. The values start from 1 st order referring to the higher hierarchical level going to the lowest n th order.	-
Nationallevelname	text	The name of the level within the national administrative hierarchy where the administrative unit is established.	-
ResidenceofauthorityID	text	Unique object identifier defining the center for national or local administration.	-
Spelling	text	The official name of the administrative unit, provided in the national language and in some cases in multiple languages.	NOM