

## Attributes

Attribute	Datatype	Description	MS Mapping
AdministrativeunitID	text	Unique object identifier of the administrative unit created by GISCO.	-
Beginlifespanversion	text	The date on which a specific version of the administrative unit was inserted or changed in the data set.	oppdateringdato
Country	text	Two-letter country code provided by the Publications Office of the European Union. In the case that a data set is not compliant with INSPIRE, this attribute is automatically generated.	
Endlifespanversion	text	The date on which a specific version of the administrative unit was replaced or removed from the data set.	-
GeographicalnameID	text	Unique object identifier of the names of administrative units created by GISCO.	-
InspireID	text	External object identifier of the administrative unit. In the case that a data set is not compliant with INSPIRE, this attribute is automatically generated.	-
Nationalcode	text	An object identifier referring to the national administrative code defined by each Member State.	fylkesnummer (2nd Order) kommunennummer (3 <sup>rd</sup> Order)
Nationallevel	text	The level within the national administrative hierarchy where the administrative unit is established. The values start from 1 <sup>st</sup> order referring to the higher hierarchical level going to the lowest n <sup>th</sup> order.	-
Nationallevelname	text	The name of the level within the national administrative hierarchy where the administrative unit is established.	objtype
ResidenceofauthorityID	text	Unique object identifier defining the center for national or local administration.	-
Spelling	text	The official name of the administrative unit, provided in the national language or in some cases in multiple languages.	navn